according to Regulation (EC) No 1907/2006

#### **Eshalite DSK**

Revision date: 27.01.2016 Page 1 of 6

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

C65BP6-DSK

#### Further trade names

Eshalite DSK 1,7+2, 1,7+2A | Eshalite DSK 1,8+1, 1,8+1 A | Eshalite DSK 1,9+0,5, 1,9+0,5 A (A=highway quality)

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Bitumen emulsion for manufacturing DSK Asphalt

### 1.3. Details of the supplier of the safety data sheet

Company name: Esha Strasse GmbH
Street: An der Ostbahn 4
Place: D-99867 Gotha
Telephone: +49 (0) 3621-8797-0

elephone: +49 (0) 3621-8797-0 Telefax: +49 (0) 3621-8797-77

e-mail: <a href="mailto:info@esha.eu">info@esha.eu</a>
Contact person: Frau Auerswald
Internet: <a href="mailto:www.esha.eu">www.esha.eu</a>

### **1.4. Emergency telephone** +49 (0) 3621-8797-0 (business hours: 08:00 - 16:00 clock)

number:

#### **Further Information**

This safety data sheet was created by: ECI EnviroConsult Ingenieurbüro Dr. Lux e.K.

### **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

This mixture is not classified as hazardous according to Directive 1999/45/EC.

## **GHS** classification

This mixture is not classified as hazardous according to Regulation (EC) No. 1272/2008.

### 2.2. Label elements

## Additional advice on labelling

Es ist keine Kennzeichnung erforderlich.

### 2.3. Other hazards

No information available.

## **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

### Chemical characterization

aqueous bitumen emulsion with organic and inorganic additives (including diesel fuel)

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

### After inhalation

Provide fresh air.

### After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse.

### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

according to Regulation (EC) No 1907/2006

### **Eshalite DSK**

Revision date: 27.01.2016 Page 2 of 6

#### After ingestion

Rinse mouth immediately and drink plenty of water.

## 4.2. Most important symptoms and effects, both acute and delayed

No information available.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

## Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

## 5.2. Special hazards arising from the substance or mixture

Non-flammable.

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protection equipment.

## 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

## 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

## Advice on safe handling

Safe handling measures are to be adapted to the requirements of the working environment. There is no requirement for additional safe handling measures.

### Advice on protection against fire and explosion

No special fire protection measures are necessary.

## 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed.

### Advice on storage compatibility

No special measures are necessary.

## 7.3. Specific end use(s)

emulgated bitumous mixture for thin layer fabrication in cold asphalt application

## **SECTION 8: Exposure controls/personal protection**

according to Regulation (EC) No 1907/2006

### **Eshalite DSK**

Revision date: 27.01.2016 Page 3 of 6

### 8.1. Control parameters

## **Exposure limits (EH40)**

| CAS No    | Substance                | ppm | mg/m³ | fibres/ml | Category      | Origin |
|-----------|--------------------------|-----|-------|-----------|---------------|--------|
| 8052-42-4 | Asphalt, petroleum fumes | -   | 5     |           | TWA (8 h)     | WEL    |
|           |                          | -   | 10    |           | STEL (15 min) | WEL    |

### 8.2. Exposure controls

## Protective and hygiene measures

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink.

## Respiratory protection

In case of inadequate ventilation wear respiratory protection. Adapt protective equipment to the requirements of the area of application (spraying, painting, bonding). Handling the unheated product does not require additional protective equipment.

### **Hand protection**

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Tested protective gloves are to be worn: Required properties: liquid-tight.

### Eye protection

Wear eye/face protection. Asphalt particles may irritate the eye.

### Skin protection

Wear suitable protective clothing.

## **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state: liquid

Colour: brown-black

Odour: characteristic like: bitumen

## Changes in the physical state

Melting point: not determined
Initial boiling point and boiling range: 100 °C

Flash point: not determined

**Flammability** 

Solid: not applicable
Gas: not applicable
Lower explosion limits: not determined
Upper explosion limits: not determined

**Auto-ignition temperature** 

Solid: not applicable
Gas: not applicable

according to Regulation (EC) No 1907/2006

### **Eshalite DSK**

Revision date: 27.01.2016 Page 4 of 6

### **Oxidizing properties**

In conjunction with porous and combustible materials, the bitumen content in the product reinforce the flammable / pyrophoric properties of the corresponding materials.

Vapour pressure: 23.4 hPa

(at 20 °C)

Vapour pressure: 123 hPa

(at 50 °C)

Density: 1,1 g/cm³
Water solubility: insoluble
Solubility in other solvents: not determined
Partition coefficient: not determined
Vapour density: not determined
Evaporation rate: not determined
Solvent content: 0,04 %, water: 33-37 %

9.2. Other information

Solid content: 63-67M.-% (DIN EN 1428)

# **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

## 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

## 10.3. Possibility of hazardous reactions

No known hazardous reactions.

## 10.4. Conditions to avoid

Strong heating (> 200 ° C) may lead to a decomposition of the bitumen content in the emulsion. The decomposition is accompanied by the release of irritating fumes and smoke.

## 10.5. Incompatible materials

Oxidizing agents.

# 10.6. Hazardous decomposition products

No known hazardous decomposition products.

## **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

## Toxicocinetics, metabolism and distribution

Part of the product (bitumen) can release small amounts of PAH-containing organic vapors when heated. These vapors cmay enter the human body via the respiratory tract.

# Severe effects after repeated or prolonged exposure

For long-term exposure to PAH-containing vapors emitted from the heated product, a chronic effect may not be excluded from the intake of larger amounts of PAH according to MAK-commission.

## Additional information on tests

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP].

# **SECTION 12: Ecological information**

## 12.1. Toxicity

Aquatic toxicity: The classification criteria for this hazard class are not met by definition.

according to Regulation (EC) No 1907/2006

### **Eshalite DSK**

Revision date: 27.01.2016 Page 5 of 6

### 12.2. Persistence and degradability

According to experiences this product is inert and not degradable. The product requires thermal treatment.

### 12.3. Bioaccumulative potential

The product has not been tested.

### 12.4. Mobility in soil

The product has not been tested.

### 12.5. Results of PBT and vPvB assessment

The product has not been tested.

### 12.6. Other adverse effects

No information available.

#### **Further information**

No special environmental measures are necessary.

# **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

### Advice on disposal

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

### Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

## **SECTION 14: Transport information**

## Land transport (ADR/RID)

## Other applicable information (land transport)

No dangerous good in sense of these transport regulations.

## Inland waterways transport (ADN)

## Other applicable information (inland waterways transport)

No dangerous good in sense of these transport regulations.

# Marine transport (IMDG)

## Other applicable information (marine transport)

No dangerous good in sense of these transport regulations.

# Air transport (ICAO)

### Other applicable information (air transport)

No dangerous good in sense of these transport regulations.

### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

#### 14.6. Special precautions for user

No information available.

# 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

not applicable

# **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## **EU** regulatory information

1999/13/EC (VOC): 0,063 % (0,688 g/l)

according to Regulation (EC) No 1907/2006

### **Eshalite DSK**

Revision date: 27.01.2016 Page 6 of 6

### **National regulatory information**

Water contaminating class (D): 1 - slightly water contaminating

### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

## **SECTION 16: Other information**

# Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

#### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)